
海軍戦艦

→ 3年式60口径15.5cm刷炮2in1 BATTLESHIP YAMATO 3RD YEAR TYPE 60-CALIBER 15.5CM GUN TURRET 2in1



The Battleship Yamato secondary battery comprised twelve 15.5cm guns mounted in four triple turrets (one forward, two amidships and one aft), and twelve 12.7cm guns in six twin mounts (three on each side amidships). These turrets were removed from the Mogami-class cruisers when those vessels were converted to a main armament of 20.3cm guns. In addition, Yamato carried twenty-four 2.5cm anti-aircraft guns, primarily mounted amidships. When refitted in 1944-45 for naval engagements in the South Pacific, the secondary battery configuration was switched to six 15.5cm guns and twenty-four 12.7cm guns, and the number of 2.5cm anti-aircraft guns was increased to 162.

The 15.5 cm/60 3rd Year Type was a dual-purpose naval gun used by the Imperial Japanese Navy on the Yamato-class battleships as secondary armament in four triple turrets, the Mogamiclass cruisers in five triple turrets and on the light cruiser Ōyodo in two triple turrets.

Construction was of the monobloc type and used a Welin breech block locking mechanism which could be operated either hydraulically or by hand. Their slow rate of fire, limited elevation and slow traverse made them insufficient for the anti-aircraft role, but they were deadly anti-ship weapons.

READ BEFORE ASSEMBLY

CAUTION

- Read carefully and fully understand the instructions before commencing assembly. A supervising adult should also read the instructions if a child assembles the model.
- •When assembling this kit, tools including knives used. Extra care should be taken to avoid personal injury.
- Keep out of reach of small children. Children must not be allowed to suck any part, or pull vinyl bag over their heads.







Be Careful

Do Not Cement









PAINTS REQUIRED


Color info and profiles by Mig Jimenez






APPLYING DECALS


- 1.Clean the model surface with a wet cloth.
- 2.Cut out each decal design from sheet, and dip it in tepid water for 15~20 sec.
- 3. Hold the backing sheet edge and slide decal onto the model.
- 4. Move decal into position by wetting decal with finger.
- 5.Press decal gently down with a soft cloth until excess water and air bubbles are gone.




REMOVING PE



Be careful not to hurt when removing PE parts.




Secure using instant glue (not included).




Finish using file.


PARTS





M


TP












































11-1 D5 D10 D3 D9 F12 D1 F11 F9


D2


11-2





































16-1




16-2



SECONDARY 15.5 CM/60 THRD YEAR TYPE GUN TURRET













2021/2144

