

EAGLE STRIKE




48008



Phantoms Phorever Pt. 3





Phantoms Phorever Pt. 3




A/C Type	F-4N BuNo.150476
Pilot & Unit	VF-51, CVW-15 USS Coral Sea CV43
Locale & Date	NAS Miramar, January 1976
Camouflage & Markings	Gull Gray FS36440 over Gloss White FS17875 with Gloss White stabilators, flaps, ailerons, rudder, and landing gear. Black vertical tail, canopy, antiglare panel, wing and inlet walkways, and wing tips.
Remarks	Names on left side canopy rails not confirmed





A/C Type	F-4J BuNo. 153795
Pilot & Unit	VF-74, CVW-8 USS America CVA66
Locale & Date	NAS Oceana, VA 1973
Camouflage & Markings	Gray FS36440 and Gloss White FS17875 with Gloss White stabilators, flaps, ailerons, rudder, and landing gear. White nose radome and Black antiglare. Dark Gray wing and inlet walkways. Red wing tips.
Remarks	Pennant style of rescue arrow.



A/C Type	F-4J-30-MC BuNo. 153817
Pilot & Unit	CDR Ken Cox, CO VF-191 CVW-15, USS Coral Sea CV43
Locale & Date	NAS Miramar, CA October, 1976
Camouflage & Markings	Gull Gray FS36440 over Gloss White FS17875 with Gloss White stabilators, flaps, ailerons, rudder, and landing gear. Black antiglare panel. Light Gray wing and inlet walkways. Red wing tips.
Remarks	ECM antenna fairing on inlet sides.



Wing and Landing Gear Door Markings Placement




Suggested Kits:

Hasegawa F-4B/N Phantom II
Hasegawa F-4J Phantom II
Monogram F-4J Phantom II

References:

1. US Navy F-4 Phantoms Part 1 Atlantic Coast Squadrons, Colors & Markings #17, TAB Books, Inc., by Bert Kinzey & Ray Leader, 1990.
2. US Navy F-4 Phantoms Part 2 Pacific Coast Squadrons, Colors & Markings #22, Kalmbach Publishing Co., by Bert Kinzey & Ray Leader, 1993.
3. F-4 Phantom II in Action, Aircraft #65, Squadron/Signal Pubs., by Larry Davis, 1984.
4. F-4 Phantom II Part 1-US Navy & Marines, Aero Detail Series #4, editor: Masahiro Oishi, Dai Nippon Kaiga Co., Ltd., 1991.
5. McDonnell F-4 Phantom: Spirit in the Skies, editor: Jon Lake, Aerospace Publishing, Ltd., 1992.
6. F-4 Phantom II Part 3 USN & USMC Versions, In Detail & Scale #12, Aero Publishers, Inc., by Bert Kinzey, 1983.



Decaling: Apply decals only to a glossy surface.

1. With a sharp scissors or knife, carefully cut item to be used, being careful of not cutting off the clear film around it or that belonging to an adjacent item.
2. Submerge in clean tap water for over 10 seconds and lay over an absorbent paper towel. Decal will slide freely in about 20 seconds. Do not leave decal on water bowl over ten seconds, or adhesive quality will suffer.
3. With a clean brush, apply a setting solution to the area where the decal will finally lay. (Micro, Super or Aero Set will do). With a clean pointed brush slide the decal on to the final area. Allow the setting solution to dry for about 3-5 minutes.
4. With another clean brush, apply a solvent solution over the decal (Micro, Super or Aero Sol will do). Do this if possible in one stroke since your decal will soften up and wrinkle immediately. This is an important step in the process, whatever you do DO NOT TOUCH THE DECAL, after this process until it is totally dry, preferably overnight.
5. When thoroughly dry, rinse your model with tap water and mild soap to wash of excess glue.
6. Finish your model with the desired final coat (gloss, flat, or semi-gloss).

EAGLE STRIKE
Productions

EAGLE STRIKE
Productions

2025 S.W. 22 Terrace
Miami, FL. 33145 U.S.A
fax (305) 285-7219