




Recommended kit: 1:48 Hasegawa A-4E



P.O. Box 3956 Merrifield, VA 22116 USA







www.meteorprod.com

Skyhawk #2

Notes on Aircraft

Cutting ® Edge MODELWORKS

CED48148

NP/500

- This A-4F wore the standard U.S. Navy two-tone camouflage scheme of the period consisting of Light Gull Gray (FS 26440) and White (FS 17875).
- Our patented BlackMagicTM precut painting masks set CEBM48487 contains masks for the rudder area that will allow you to paint the complicated rib pattern more easily. This set also contains masks for the anti-glare panel and intake areas.
- Note the direction of the drop shadows on some of the markings. Drop shadows on the aircraft were to the REAR of the main marking.
- We could not positively determine the color of one of the stripes on the rudder. It is definitely either blue or green. We have included decals for both versions.
- This jet was upgraded to the "SuperFox" configuration and requires Cutting Edge conversion set CEC48316 for the enlarged intakes. Do not use the fin tip ECM pod; do use the slightly extended tail pipe in the Hasegawa kit.

874

This Skyhawk carried the Royal Australian Navy scheme consisting of a two-tone wraparound gray camouflage.
 The approximate colors are FS 26176 and FS 26375, although there remains disagreement as to the exact shades of these two colors.

Applying the Decals

You probably already know all this stuff, so feel free to use your regular process; however, if you're new to aftermarket decals, here goes:

- Generally, use the Microscale Finishing System. We don't recommend extremely strong decal solvents such as Solvaset.
- Your model must have a smooth, glossy surface, as decals won't adhere well to matte surfaces. Use gloss paints
 or your favorite clear gloss overspray over matte or semigloss paint.
- Cut each subject out without trimming off the slight excess film (this helps the decal film disappear when dry).
- Put the decal in warm water that has a drop or two of liquid dishwashing soap or photo-flo for 10 seconds.
- When the decal will slide off the backing paper without forcing it, apply it to the proper position on your model.
 Slide the backing paper out from underneath.
- Gently blot off excess water and smooth out bubbles under the decal surface. If you wish, carefully brush on a mild decal softener such as Micro-Sol.
- When all decals are completely dry, gently wash off all excess decal adhesive.
- Finally, overcoat your model with a good quality gloss coat, followed by your choice of matte or eggshell clear topcoat.

FS 595 Color Cross Reference

Light Gull Gray FS 6440 Xtracolor X137, Modelmaster 1729/1730, Gunze Sangyo H315/325, Pro Modeler 88-

0033, Polly Scale 505326

White FS 17875

Any gloss white paint

FS 26375

Pro Modeler 88-0034, Polly Scale 505304

FS 26173

Xtracolor X158, Gunze Sangyo H053, Pro Modeler 88-0035, Floquil 303176

Bibliography

Colorful U.S. Navy Skyhawks by Bert Kinzey & Ray Leader. 1990, Airlife Publishing. Famous Airplanes of the World #3. A-4 Skyhawk. 1987 Bunrin-do Publishing. Various magazine articles and original photographs

© 2001 Cutting Edge Modelworks

