

LIMITED EDITION!

CED48200

Fw 190A


Reich Defenders Part 3



Fw 190A-8



Fw 190A-4



Fw 190A-6



Fw 190A-4

Recommended kit:
Tamiya Fw 190 series with
Cutting Edge Conversion
CEC48078 Fw 190A-5 to A-9

**Cutting
Edge**

®


P.O. Box 3956
Merrifield, VA 22116
USA

MODELWORKS www.meteorprod.com

Fw 190 A-8

15./JG 54

Hptm. Rudolf Klemm




Note early style of rudder I.D. marking contained to just the lower rudder.

Fw 190 A-4

Gruppenstab I./JG 1

Oblt. Rolf Strohal
Deelen, 1943




JG 1 winged '1' badge was likely applied to left hand cowl.

Fw 190 A-4

II./JG 1

Oblt. Hans Mohr
Gruppe Technical Officer




RLM 04

Fw 190 A-6




5./JG 1

Lt. Fritz Wegner
1943



RLM 23

Standard upper camouflage scheme



...available from

Meteor

Productions^{inc.}

P.O. Box 3956, Merrifield, VA 22116 USA

☎ 703/971-0500 FAX 703/971-8111

www.meteorprod.com

Write, call, or visit our home page to order our 120+ page catalog of decals, kits, conversions, tools, books, magazines, etc., and we'll send it to you right away!

© Cutting Edge Modelworks, 2002



Klemm

- While the area of the Greenhearts badge was blocked by the pilot in our photo, we think it is likely this badge was applied as seen on numerous other JG 54 aircraft.

Strohal

- Our photos were of the right side only, but we believe the winged JG1 badge was applied to the left side cowl.

Mohr

- The artwork of the man with sword and shield was Mohr's personal emblem. It is possible it was applied to the right side as well.

Applying the Decals

You probably already know all this stuff, so feel free to use your regular process; however, if you're new to aftermarket decals, here goes:

- Generally, use the Microscale Finishing System. We don't recommend extremely strong decal solvents such as Solvaset.
- Your model must have a smooth, glossy surface, as decals won't adhere well to matte surfaces. Use gloss paints or your favorite clear gloss overspray over matte or semigloss paint.
- Cut each subject out without trimming off the slight excess film (this helps the decal film disappear when dry).
- Put the decal in warm water that has a drop or two of liquid dishwashing soap or photo-flo for 10 seconds.
- When the decal will slide off the backing paper without forcing it, apply it to the proper position on your model. Slide the backing paper out from underneath.
- Gently blot off excess water and smooth out bubbles under the decal surface. If you wish, carefully brush on a mild decal softener such as Micro-Sol.
- When all decals are completely dry, gently wash off all excess decal adhesive.
- Finally, overcoat your model with a good quality gloss coat, followed by your choice of matte or eggshell clear topcoat.

FS 595 Color Cross Reference

RLM 02	Xtracolor X201, Floquil 303271, Polly Scale 505075
RLM 04	Xtracolor X213, Floquil 303269, Polly Scale 505017
RLM 23	Xtracolor X217, Polly Scale 505020
RLM 74	Xtracolor X206/144, Polly Scale 505059, Floquil 303247, Gunze Sangyo H068/H319, Tamiya XF62
RLM 75	Xtracolor X207, Polly Scale 505060, Floquil 303249, Gunze Sangyo H069/H057
RLM 76	Xtracolor X208/138, Polly Scale 505061, Floquil 303251, Pro Modeler 88-0042, Gunze Sangyo H062, Modelmaster 1731, Tamiya XF66

Bibliography

- Defenders of the Reich JG 1 Vol. 2 by Eric Mombeek. Classic Publications 2002.
- Focke Wulf Jagdflugzeug by Peter Rodeike. Struve-druk, 1999.