


LIMITED EDITION!

CED48215

Bf 109E

The Augsburg Zoo




Bf 109 E-3, 3./J/88




Bf 109 E-1, JG 132 "Schlageter"



Bf 109 E-3, JG 26



Bf 109 E-3, 4./JG26



Recommended kit:
Tamiya Bf 109E

**Cutting
Edge**

MODELWORKS

P.O. Box 3956
Merrifield, VA 22116
USA

www.meteorprod.com


Bf 109E-3

Oblt. Hans Schmoller-Haldy
3./J88
March, 1939



Bf 109E-1

JG 132 "Schlageter"
April 1939




Bf 109E-3


Oberstleutnant Hans-Hugo Witt
Geschwaderkommodore, JG 26
April, 1940



Bf 109E-3

W.Nr. 1190
Uffz. Horst Perez, 4./JG26
September, 1940





...available from

Meteor

 **Productions**^{inc.}

P.O. Box 3956, Merrifield, VA 22116 USA

☎ 703/971-0500 FAX 703/971-8111

www.meteorprod.com

Write, call, or visit our home page to order our 120+ page catalog of decals, kits, conversions, tools, books, magazines, etc., and we'll send it to you right away!

© Cutting Edge Modelworks, 2003



6•123

- The beer mug with the initials CP is for the "Order of Cardinal Paff" international pilot's drinking club founded in Belgium. (We don't recommend riding on any modern commercial airliners that have this painted under the cockpit!)

<-+-

- The knight emblem under the cockpit was Witt's personal emblem.

White 4

- The camo colors were not RLM 74 & 75 as reported in various publications, but rather locally mixed medium and dark grays. We think the uppersurface camo demarcation would have been fairly similar to the factory 02/71 scheme as on <-+-.

Applying the Decals

You probably already know all this stuff, so feel free to use your regular process; however, if you're new to aftermarket decals, here goes:

- Generally, use the Microscale Finishing System. We don't recommend extremely strong decal solvents such as Solvaset.
- Your model must have a smooth, glossy surface, as decals won't adhere well to matte surfaces. Use gloss paints or your favorite clear gloss overspray over matte or semigloss paint.
- Cut each subject out without trimming off the slight excess film (this helps the decal film disappear when dry).
- Put the decal in warm water that has a drop or two of liquid dishwashing soap or photo-flo for 10 seconds.
- When the decal will slide off the backing paper without forcing it, apply it to the proper position on your model. Slide the backing paper out from underneath.
- Gently blot off excess water and smooth out bubbles under the decal surface. If you wish, carefully brush on a mild decal softener such as Micro-Sol.
- When all decals are completely dry, gently wash off all excess decal adhesive.
- Finally, overcoat your model with a good quality gloss coat, followed by your choice of matte or eggshell clear topcoat.

FS 595 Color Cross Reference

RLM 02	Xtracolor X201, Floquil 303271, Polly Scale 505075
RLM 04	Xtracolor X213, Floquil 303269, Polly Scale 505017
RLM 23	Xtracolor X217, Polly Scale 505020
RLM 65	Xtracolor X202, Floquil 303245, Polly Scale 505051
RLM 70	Xtracolor X204, Floquil 303241, Polly Scale 505055, Pro Modeler 88-0043
RLM 71	Xtracolor X205, Floquil 303243, Polly Scale 505056, Pro Modeler 88-0044

Bibliography

- Jagdwaaffe, Spanish Civil War by Eric Mombeek. Classic Publications, 1999.
Jagdwaaffe, Attack in the West by Eric Mombeek. Classic Publications, 2000.
Jagdwaaffe, Battle of Britian Volume Two Section 3 by Eric Mombeek. Classic Publications, 2002.