





≈ 703/971-0500 FAX 703/971-8111

www.meteorprod.com

magazines, etc., and we'll send it to you right away!

Cutting Edge Modelworks, 2002

Skyhawk #5 Notes on Aircraft



All aircraft

- These A-4s both carried the standard U.S. Navy two-tone camouflage scheme of the period consisting of Light Gull Gray (FS 26440) and White (FS 27875).
- The blue color used on both aircraft was approximately FS 25102.

Applying the Decals

You probably already know all this stuff, so feel free to use your regular process; however, if you're new to aftermarket decals, here goes:

- Generally, use the Microscale Finishing System. We don't recommend extremely strong decal solvents such as Solvaset.
- Your model must have a smooth, glossy surface, as decals won't adhere well to matte surfaces. Use gloss paints
 or your favorite clear gloss overspray over matte or semigloss paint.
- Cut each subject out without trimming off the slight excess film (this helps the decal film disappear when dry).
- Put the decal in warm water that has a drop or two of liquid dishwashing soap or photo-flo for 10 seconds.
- When the decal will slide off the backing paper without forcing it, apply it to the proper position on your model.
 Slide the backing paper out from underneath.
- Gently blot off excess water and smooth out bubbles under the decal surface. If you wish, carefully brush on a mild decal softener such as Micro-Sol.
- When all decals are completely dry, gently wash off all excess decal adhesive.
- Finally, overcoat your model with a good quality gloss coat, followed by your choice of matte or eggshell clear topcoat.

FS 595 Color Cross Reference

Light Gull Gray FS 6440

Xtracolor X137, Modelmaster 1729/1730, Gunze Sangyo H315/325, Pro

Modeler 88-0033, Polly Scale 505326

White FS 7875 Dark Blue FS 5102 Any white paint Floquil 303046

Bibliography

"A-4 Skyhawk" Model Art Co . Tokyo 1990 Aireview Dec., 1962. Numerous photos in the Dave Klaus collection