



X32073

00 EE342

Gloster Meteor F.3 Collection





After 5 or 10 minutes wet the decal with MICRO SOL which will soften the decal and ensure that it settles down over any surface detail. Allow the decal to dry for at least 12 hours. During this time some wrinkling of the decal may occur, this is normal. Do not touch the decal at this time.

Carefully check for small air bubbles and if there are any prick with a needle and apply a drop of MICRO SOL. After all air bubbles have been eliminated and the decals are dry wash the entire model with water to remove any excess decal adhesive.

When completely dry the whole model should be sprayed with a coat of Xtracolor or Xtracrylix Flat, Satin or Gloss varnish depending on the finish required.

Store in a cool dry place, avoid sunlight, dampness or extremes of temperature and/or humidity.



eliminate air trapped under the decal and position the decal.


Fax

Harbour Road, Oulton Broad, Lowestoft, Suffolk, NR32 3LZ

+44 1502 500521

Phone +44 1502 517444

www.hannants.co.uk



Xtracolor Paints

X001 Dark Green

X003 Medium Sea Grey

X005 Extra Dark Sea Grey

X006 Ocean Grey

X007 Sky 'Type S'

X011 Yellow

X012 Night Black

X141 White

X501 Silver

Paints:

The colours used on these aircraft can be found in the Xtracolor (prefix number with X) and Xtracrylix (prefix number with XA1) range of paints.

Xtracrylix Paints

XA1001 Dark Green

XA1003 Medium Sea Grey

XA1005 Extra Dark Sea Grey

XA1006 Ocean Grey

XA1007 Sky 'Type S'

XA1011 Yellow

XA1012 Night Black

XA1141 White

