


H. M. S. BOUNTY

R - 408

Overall length: 10 inches
Overall height: 9 inches
Width: 1,5 inches



H. M. S. Bounty recalls the story of Captain Bligh who covered 3600 miles across the open sea, This distance has never been covered since by small boats in the annals of navigation

ASK YOUR DEALER TO SHOW YOU OTHER "CONSTRUCTO" SHIP MODEL KITS THEIR PREFABRICATED PARTS, SUPERB PLANS AND SIMPLE STEP BY STEP INSTRUCTIONS MAKE THEM A PLEASURE TO BUILD AND A JOY TO POSSESS

CONSTRUCTO - E. Orfila

SAN LUIS (Menorca)

(Made in Spain)

General instructions for Building - Model R-408

- Op. 1.—Glue on the Hull parts Nos. 2, 3 and 4.
- Op. 2.—Glue on the Mounting-Blocks No. 5 the Crosspiece for Cradle No. 6 and set them to the Hull.
- Op. 3.—With a very hard pencil draw lines on deck about 1/16" separate each one to the other to imitate planking.
- Op. 4.—Nail the twenty-six nails. No. 21 to each side of bow and stern to act as Shrouds.
- Op. 5.—Glue on deck the Railings No. 7 and the Stern frame No. 8
- Op. 6.—Cut eight pieces from lath No. 9 about 3 1/16" long each to act as beams.
- Op. 7.—Cut two pieces from lath No. 9a about 10 1/16" long to act as Catheads and glue them as well as the fender bar No. 10 to the afore deck
- Op. 8.—Cut two pieces from lath. No. 11 about 3 1/2" and glue them on the Railings No. 7 Then cut another piece of 1" long and glue it on the upper stern No. 8.
- Op. 9.—Now cut from what is left of lath No. 11 two pieces of 2 3/16" and set them on the intermediate beams No. 9.
- Op. 10.—Glue parts Nos. 12 and 13 to both sides of the Hull.
- Op. 11.—Give a coat of light chestnut varnish along the deck.
- Op. 12.—Glue the printings No. 20 to pieces Nos 14, 15, 16, 17, 18 and 19, then glue and place them to the deck.
- Op. 13.—Paint parts Nos. 22, 23, 24, 25, 27 and 39 (10 pieces) in brown color, and part No. 26 in black. Then cut five pieces from lath No. 41 that will be the benches to be glued to the life-boat No. 23
- Op. 14.—Now give two coats of brown color painting to all the Hull.
- Op. 15.—Glue to the Foremast No. 28 by means of bends (printed paper No. 20a) parts Nos 31, 33, 34 and 35. (See Fig. No. 3).
- Op. 16.—Repeat the same operation with the Main mast No. 29 and with parts Nos. 31, 33, 34, 36 and 20a
- Op. 17.—The same with the Mizzen-mast with parts Nos. 32, 35a and 20a.
- Op. 18.—Stick and varnish once set, the two pieces No. 38 to each side of stern.
- Op. 19.—Join the Bowsprit No. 30a to the Jib boom No. 35b and glue it to the deck as indicated in Figs. 1 & 2.
- Op. 20.—Glue to the Hull the four bends No. 20a and the Windows No. 20c at stern
- Op. 21.—Place the masts on the deck and their rigging (black thread). Also the shrouds and stays (see the plan).
- Op. 22.—Cut ten pieces from the cloth No. 37 that will be the sails and tighten them to pieces Nos 35e, 33a, 36a, 25d, 36b, 35f and 35e.
- Op. 23.—Tighten the Sailyard No. 35c (white thread) to the Jib boom.
- Op. 24.—Tighten two Sailyards No. 33a, two No. 36a and two No. 35d, to the Fore and Main-masts Then tighten one No. 36b, one No. 35f and one Trysail pick No. 35e to the Mizzen mast
- Op. 25.—Give a general coat of varnish to the Masts, sails and Base No. 5. This kit is not supplied with paintings.

NUMBERED LIST OF PARTS

Number	NAME	Quantity	Number	NAME	Quantity
1	Hull	1	24	Capstan	1
2	Stem Head	1	25	Battens for Gun Carriages	4
3	Keel	1	26	Cannons	4
4	Rudder	1	27	Tiller	1
5	Mounting Blocks	2	28	Foremast	1
6	Crosspiece for Cradle	1	29	Main-mast	1
7	Railings	2	30	Mizzen-mast	1
8	Upper stern	1	30a	Bowsprit	1
9	Rod (eight beams)	1	31	Fore and Main-masts Tops	2
9a	Rod (two catheads)	1	32	Mizzen Tops	1
10	Fender bar	1	33	Main and Fore Top-masts	2
11	Railings Roof (four pieces)	2	33a	Fore and Main Lower Yards	2
12	Channels	4	34	Main and Foremast Caps	2
13	Mizen Channels	2	35	Fore Upper Top-Mast	1
14	Fore Companion House	1	35a	Mizzen Upper Top-Mast	1
15	Hatchway	1	35b	Jib boom	1
16	"	1	35c	Jib boom Yard	1
17	"	1	35d	Fore and Main Upper Yards	2
18	"	1	35e	Mizzen-Gaff	1
19	"	1	35f	Mizzen Upper Yard	1
20	Hatchway Covers (Printings)	1	36	Main Upper Top-Mast	1
20a	Bends (five)	1	36a	Fore and Main Medium Yards	2
20B	Masts and Jib boom bends (Printings)	1	36b	Mizzen Lower Yard	1
20c	Stern windows (Printings)	1	37	Cloth for ten Sails	1
21	Pins to make the Futtocks-shrouds	26	38	Print for sides of Cabin	2
22	Windlass	1	39	Steering-Wheel	1
23	Life-boat	1	40	Steering-Wheel Standards	2
			41	Wood to make five benches for life-boat	1

Instrucciones para el montaje del H. M. S. Bounty R-408

- 1.—Engómense en el casco n.º 1 las piezas núms. 2, 3 y 4.
- 2.—Engómense los calzos n.º 5 con su travesañó n.º 6 y colóquense en el casco.
- 3.—Ráyese en la cubierta con lápiz duro y punta aguda, rayas paralelas separadas entre sí dos milímetros.
- 4.—Clávense los 26 clavos n.º 21 a cada lado de proa y popa que harán de obenques.
- 5.—Engómense en la cubierta las barandillas n.º 7 y el espejo de popa n.º 8.
- 6.—Del listón n.º 9 córtense 8 trocitos de 5 m m. cada uno que harán las veces de barrotines.
- 7.—Del listón n.º 9a, córtense dos trocitos de 15 m/m. cada uno que harán de serviolas, engómense, así como la bateola n.º 10 en su cubierta de proa.
- 8.—Del listón n.º 11, córtense dos trozos de 85 m/m cada uno y péguense sobre la barandilla n.º 7, y otro trozo de 25 m/m. péguese sobre el espejo n.º 8.
- 9.—Córtense del sobrante del listón n.º 11 dos trozos de 55 m/m y colóquense sobre los barrotines n.º 9.
- 10.—Engómense las piezas núms. 12 y 13 en los costados del casco.
- 11.—Dése una mano de barniz roble claro a toda la cubierta.
- 12.—Engómense en las piezas núms. 15, 16, 17, 18 y 19 las tapas impreso n.º 20 y luego en su cubierta.
- 13.—Las piezas núms. 22, 23, 24, 25, 27 y 39, total 10, pintarlas de color marrón, y la n.º 26 de color negro pegándolas todas en la cubierta. Del listón n.º 41 córtense 5 trocitos que harán de bancos y engómense en su bote n.º 23.
- 14.—Dar dos manos de pintura de color marrón a todo el casco.
- 15.—Engómense en el palo n.º 28, las piezas núms. 31, 33, 34 y 35 con su cinta impresa, impreso n.º 20a (ver figura n.º 3).
- 16.—Haga la misma operación en el palo mayor n.º 29 con las piezas núms. 31, 33, 34, 36 y 20a.
- 17.—Idéntica operación en el palo mesana n.º 30, con las piezas núms. 32, 35a y 20a.
- 18.—Engómense en la popa del barco las dos piezas n.º 38 (a cada lado) y barnícense.
- 19.—Únase al bauprés el botalón 30a, 35b y 20a y colóquese en la proa.
- 20.—Engómense en el casco los 4 cintones 20a y en la popa las ventanillas 20b.
- 21.—Colóquense los palos en su cubierta y su jarcia firme (hilo negro), obenques y stays (ver figura).
- 22.—De la tela n.º 37, córtense 10 trozos que harán de velas y átense a las piezas núms. 35c, 33a, 36a, 25d, 36b, 35f y 35e.
- 23.—Átese la verga n.º 35c (hilo blanco) en el botalón del barco.
- 24.—Átense dos vergas n.º 33a, dos n.º 36a y dos n.º 35b, en sus palos trinquete y mayor. Una n.º 26b, una n.º 35f y un pico n.º 35e, en su palo mesana.
- 25.—Este equipo no va provisto de pinturas.

RELACIÓN NUMERADA DE LAS PIEZAS

Núm.	NOMBRE	Núm.	NOMBRE
1	Casco	27	Caña timón
2	Roda	28	Palo trinquete
3	Quilla	29	Palo mayor
4	Codaste timón	30	Palo mesana
5	Calzos	30a	Bauprés
6	Travesañó peana	31	Cofas trinquete y mayo
7	Barandilla	32	Cofa de mesana
8	Espejo popa	33	Masteleros trinquete y mayor
9	Varilla (barrotines)	33a	Vergas baja trinquete y mayor
9a	Varilla (serviolas)	34	Tamboretas trinquete y mayor
10	Bateola	35	Mastelero alto de trinquete
11	Tapa de barandilla	35a	Mastelero alto de mesana
12 y 13	Mesas guarnición	35b	Botalón
14	Escotillón	35c	Verga de botalón
15, 16, 17, 18 y 19	Escotilla	35d	Verga alta trinquete y mayor
20	Tapas de escotilla	35e	Pico de mesana
20a	Cintones (5)	35f	Verga alta de mesana
20b	Cintas palos y botalón (papel)	36	Mastelero alto de mayor
20c	Ventanillas de popa (impreso)	36a	Verga media trinquete y mayor
21	Arralgadas (alfileres)	36b	Verga baja de mesana
22	Maquinilla	37	Vela baja de mesana
23	Bote	38	Bandas de carroza
24	Cabrestante	39	Rueda timón
25	Cureñas	40	Soporte rueda timón
26	Cañones	41	Fullola para bancos bote




Fig. 1




Fig. 4




Fig. 3



H. M. S. BOUNTY

R - 408

MARITIME SERIES

Constructo

